Agri Articles
(e-Magazine for Agricultural Articles)
Volume: 05, Issue: 06 (NOV-DEC, 2025)
Available online at http://www.agriarticles.com
©Agri Articles, ISSN: 2582-9882

From Hills to Harvest: The Inspiring Story of *Cordyceps* Farming

*Sanjana Veni D. V. N. D.
Teaching Associate, Dept. of Plant Pathology, Professor Jayashankar Telangana Agricultural University, Telangana, India
*Corresponding Author's email: sanjanaveni3238@gmail.com

Cordyceps mushrooms are some of the most powerful medicinal mushrooms known to science. They were originally found in the cold, high-altitude regions of Tibet and China, where they naturally grow on insect larvae. Today, however, they can be safely cultivated on plant-based materials under controlled conditions. These mushrooms have been treasured in traditional Asian medicine for their ability to increase stamina, boost immunity, and restore overall vitality. *Cordyceps* contains several important bioactive compounds such as cordycepin, adenosine, polysaccharides, and ergothioneine, which contribute to their medicinal value. Studies have shown that these compounds help strengthen the immune system, fight cancer cells and viral infections, reduce inflammation, relieve fatigue, and support the health of major organs like the heart, lungs, liver, and kidneys. Because of these benefits, *Cordyceps* products in the form of capsules, powders, teas, and extracts are widely sold in Ayurvedic, Chinese, and Western healthcare markets. Their increasing popularity and high market demand have made Cordyceps cultivation a profitable opportunity for growers.

Cordyceps Cultivation Technology

1. Strain Selection

The first step in *Cordyceps* cultivation is choosing a strong and high-yielding strain. *Cordyceps militaris* is the most commonly cultivated species because it produces bright orange fruiting bodies and adapts well to commercial production. Strains can be purchased from reputed laboratories to ensure purity and good growth performance.

2. Culture preparation

To maintain and multiply the fungus, Potato Dextrose Agar (PDA) is commonly used. This medium is prepared by boiling peeled potatoes, filtering the extract, and adding dextrose and agar to allow the medium to solidify. After sterilization, the mixture is poured into petri plates and allowed to cool. Small bits of pure *Cordyceps* culture are then transferred onto the plates under a laminar airflow chamber. The plates are incubated for several days until the fungus spreads across the surface and forms a white mycelial mat.

3. Liquid Spawn preparation

Liquid spawn acts as the starter material for mass cultivation. A nutrient-rich liquid medium is prepared using distilled water, 20g dextrose, 10g yeast extract, and 10g peptone. After sterilization in an autoclave at 15-20 psi for 30 minutes, allow the medium to cool. Later, the medium is inoculated with the actively growing culture of *Cordyceps* militaris. The flasks are kept on a shaker for a few days, which helps the fungus break into small mycelial pieces that serve as the liquid spawn used for inoculating the substrate.

4. Nutrient solution

Cordyceps requires additional nutrients for proper fruiting, so a liquid nutrient solution is prepared by mixing 30g glucose, 5g peptone, 3g yeast extract, 2g KHP, 0.5g $MgSO_4$, 10mg vitamin B12, and 10mg multivitamins in 1000 ml distilled water. This enriched solution helps the fungus grow healthy fruiting bodies when added to the solid substrate.

5. Substrate Preparation

Cordyceps grows well on nutrient-enriched cereal grains. Brown rice is one of the best substrates for cultivating *Cordyceps* because it holds moisture well and provides the nutrients needed for growth. The rice is soaked in water for 30 minutes, washed, drained and dried. 30g of rice is placed in a jar, and 35ml of the above nutrient solution is added. The jars are covered with polypropylene sheets and sterilized in an autoclave. Once sterilized and cooled, the substrate becomes ready for inoculation.

6. Inoculation

After the jars cool down completely, 5-10 ml of liquid spawn is added under sterile conditions to avoid contamination. The jars are gently shaken so the spawn spreads evenly across the rice. A small hole is made on the jar lid and plugged with cotton to allow air exchange while keeping contaminants out.

7. Incubation (Spawn Run Phase)

The inoculated jars are kept in a dark room with a temperature between 18–22°C and 65-85% relative humidity. During this incubation period, the mycelium spreads rapidly through the rice, turning it completely white. This stage normally takes about three weeks, and the jars should not be disturbed or exposed to light during this time.

8. Fruiting Initiation (Pinning)

Once the substrate is fully colonized, the jars are moved to a room with light to initiate fruiting. The jars are exposed to 12–16 hours of bright, indirect light daily (800–1000 lux). Temperature should be maintained at 18–24°C and relative humidity of 70–85%. Under these conditions, tiny orange structures called pins begin to appear on the surface of the substrate within one to two weeks.

9. Fruiting & Harvest

As pins develop, maintain the light cycle and avoid high temperatures above 27°C. In about 4–6 weeks, mature orange *Cordyceps* fruiting bodies reach 4–6 cm. Reduce light to 8–12 hours once mushrooms reach this length and wait till fruiting bodies thicken and mature (about 5–6 weeks in total). When the club-shaped heads are fully formed, harvest by cutting them gently at the base.

7. Drying and Processing

After harvesting, the mushrooms are dried at a low temperature (40-50^{o}C) until they become crisp. Proper drying helps preserve their colour, quality, and medicinal properties. The dried mushrooms can be stored in airtight containers or further processed into powders and extracts for use in health supplements.

Challenges and Opportunities

One of the biggest challenges for new growers is obtaining a high-quality strain that consistently produces good fruiting bodies. Maintaining sterile conditions during all stages of cultivation is also essential to prevent contamination. However, with proper training and controlled environmental setups, Cordyceps cultivation can be highly profitable. As global interest in natural health products continues to grow, *Cordyceps* farming offers great opportunities for farmers, entrepreneurs, and small businesses.

Conclusion

Cordyceps mushrooms represent a perfect blend of ancient traditional wisdom and modern scientific validation. Due to their powerful medicinal properties, increasing global demand, and relatively simple cultivation method, they offer excellent potential as a sustainable Agri-biotechnology venture. By training farmers in sterile techniques, controlled cultivation, and proper post-harvest handling, Cordyceps can be transformed from a rare Himalayan treasure into a widely available, high-value health product.

References

1. Indian Farming Journal (2025). *Cordyceps* farming: Opportunities in Indian agriculture. Indian Farming, 75 (5): 45-49.

2. Indian Council of Agricultural Research (2025). *Cordyceps* Method of Cultivation, Its Importance and Medicinal Value. ICAR Newsletter, January Issue, 57-60.
3. Elkhateeb WA and Daba GM (2022). *Cordyceps* More Than Edible Mushroom – A Rich Source of Diverse Bioactive Metabolites with Huge Medicinal Benefits. Journal of Biomedical Research and Environmental Sciences, 5(3): 566-574.
4. FungiAlly (2019). Cordyceps Cultivation Methods: A Step-by-Step Process. https://www.fungially.com/blogs/growing-mushrooms/cordyceps-cultivation-methods