

## Role of Micronutrients in Enhancing Chilli Yield

\*Dr. M. Kabilan

Regional Coffee Research Station, Coffee Board, Thandigudi, Tamil Nadu, India

\*Corresponding Author's email: [kabimathi21@gmail.com](mailto:kabimathi21@gmail.com)

Chilli (*Capsicum annuum* L.) is a commercially important spice and vegetable crop cultivated extensively in tropical and subtropical regions. It is valued for its pungency, color, flavor and nutritional composition, including vitamins, carotenoids and capsaicinoids. However, chilli productivity is often limited by nutrient deficiencies, particularly micronutrients, which play a crucial role in plant metabolism, growth and yield formation. While macronutrients such as nitrogen, phosphorus and potassium are required in large quantities, micronutrients are needed in smaller amounts but are equally essential for physiological and biochemical processes. Deficiencies of micronutrients can lead to reduced growth, poor flowering, low fruit set and inferior fruit quality. Therefore, balanced micronutrient management is essential for enhancing chilli yield and ensuring sustainable production.

### Importance of Micronutrients in Plant Growth

Micronutrients are essential elements required in trace amounts for the proper functioning of plant metabolic processes. These include zinc (Zn), boron (B), iron (Fe), manganese (Mn), copper (Cu), molybdenum (Mo) and chlorine (Cl). They play key roles in enzyme activation, photosynthesis, hormone regulation and nutrient uptake. In chilli cultivation, micronutrients influence various growth stages, from seedling development to flowering and fruiting, ultimately affecting yield and quality.



### Role of Individual Micronutrients in Chilli

Zinc plays a critical role in enzyme activation, protein synthesis and growth hormone production. It is essential for internode elongation and leaf development. Zinc deficiency leads to stunted growth, chlorosis and reduced yield. Boron is crucial for cell wall formation, pollen viability and fruit set. Adequate boron supply enhances flowering, reduces flower drop and improves fruit development in chilli. Iron is involved in chlorophyll synthesis and photosynthesis. Its deficiency results in interveinal chlorosis and reduced plant vigor.

Manganese participates in photosynthesis and nitrogen metabolism, while copper is important for enzyme activity and lignin synthesis. Molybdenum plays a key role in nitrogen metabolism and helps in nitrate reduction, which is essential for plant growth.

### **Micronutrient Deficiency Symptoms in Chilli**

Micronutrient deficiencies manifest as visible symptoms in plants, which can be used for diagnosis and correction. Zinc deficiency causes small leaves, shortened internodes and chlorosis. Boron deficiency leads to poor flower development, fruit drop and deformed fruits. Iron deficiency is characterized by yellowing of young leaves, while manganese deficiency causes interveinal chlorosis and reduced photosynthetic activity. Copper deficiency results in dieback of shoots and poor plant growth. Early detection and correction of these deficiencies are essential to prevent yield losses.



### **Soil and Foliar Application of Micronutrients**

Micronutrients can be applied through soil or foliar methods depending on the severity of deficiency and crop requirement. Soil application provides a long-term supply of nutrients, while foliar application offers quick correction of deficiencies. Foliar sprays are particularly effective during critical growth stages such as flowering and fruiting. Chelated forms of micronutrients are more efficient as they enhance nutrient availability and uptake by plants.

### **Interaction of Micronutrients with Macronutrients**

Micronutrients interact with macronutrients in complex ways that influence nutrient uptake and utilization. For example, zinc enhances nitrogen metabolism, while boron improves the translocation of sugars and carbohydrates. Balanced fertilization is essential to avoid antagonistic effects, where excess of one nutrient may inhibit the uptake of another. Integrated nutrient management ensures optimal nutrient balance and improves crop productivity.

### **Effect of Micronutrients on Flowering and Fruit Set**

Micronutrients play a significant role in reproductive development. Boron is particularly important for pollen germination and tube growth, which directly influence fruit set. Zinc and iron contribute to hormone regulation and photosynthesis, thereby enhancing flowering and fruit development. Adequate micronutrient supply reduces flower drop and improves fruit retention, leading to higher yield.

### **Impact on Yield and Quality**

Micronutrient application has been shown to significantly increase chilli yield and improve fruit quality. Zinc and boron application enhances fruit size, weight and number, while iron and manganese improve color and nutritional quality. Improved micronutrient management also increases capsaicin content and enhances market value.

### **Integrated Micronutrient Management**

Integrated micronutrient management involves the combined use of soil application, foliar sprays and biofertilizers to ensure adequate nutrient supply throughout the crop cycle. Biofertilizers such as zinc-solubilizing bacteria and mycorrhizae enhance nutrient availability

and uptake. This approach improves soil health, reduces input costs and ensures sustainable production.

### Constraints and Challenges

Despite the importance of micronutrients, their management is often neglected due to lack of awareness and improper soil testing. Overuse or misuse of fertilizers can lead to nutrient imbalances and reduced efficiency. Soil variability and environmental factors also affect micronutrient availability.

### Future Prospects

Advances in precision agriculture and nutrient management technologies offer new opportunities for optimizing micronutrient use in chilli cultivation. Soil testing, remote sensing and decision support systems can help farmers apply nutrients more efficiently. The development of micronutrient-efficient varieties and nano-fertilizers will further enhance productivity and sustainability.

### Conclusion

Micronutrients play a vital role in enhancing chilli yield and quality by supporting essential physiological and biochemical processes. Balanced micronutrient management, through soil and foliar applications, significantly improves plant growth, flowering, fruit set and yield. Integrated approaches that combine traditional practices with modern technologies can ensure efficient nutrient use and sustainable chilli production. Increasing awareness among farmers and promoting scientific nutrient management practices will be key to achieving higher productivity and profitability.

### References

1. Alloway, B.J. (2008). Zinc in soils and crop nutrition. *International Zinc Association*, Brussels.
2. Marschner, P. (2012). *Marschner's Mineral Nutrition of Higher Plants*. Academic Press.
3. Fageria, N.K., Baligar, V.C. and Clark, R.B. (2002). Micronutrients in crop production. *Advances in Agronomy*, 77:185–268.
4. Sharma, P. and Dubey, R.S. (2005). Lead toxicity in plants. *Brazilian Journal of Plant Physiology*, 17(1):35–52.
5. Meena, R.S., Kumar, S. and Meena, V.S. (2019). Nutrient management in vegetable crops. *Agricultural Reviews*, 40(3):181–188.