



Strong Starts, Better Harvests: The Value of Quality Fish Seed

*Udit Murabiya¹ and Astha Deshmukh²

¹ICAR-CIFE, Mumbai, Maharashtra, India

²Department of Fisheries, Chhattisgarh, India

*Corresponding Author's email: uditmurabiya109@gmail.com

Aquaculture has emerged as one of the fastest-growing food production sectors worldwide, contributing significantly to food security, nutrition, and rural livelihoods. In India, aquaculture plays a vital role in meeting the increasing demand for fish and fishery products. Among the various factors influencing aquaculture productivity, the quality of seed is considered one of the most critical determinants of farming success. High-quality seed forms the foundation of profitable aquaculture by ensuring better survival, faster growth, improved feed conversion, and enhanced disease resistance (FAO, 2024). Fish seed refers to fertilized eggs, larvae, fry, and fingerlings used for stocking in aquaculture systems. The use of poor-quality seed can lead to stunted growth, increased susceptibility to diseases, low survival rates, and substantial economic losses. Therefore, ensuring the availability and use of quality seed is essential for sustainable aquaculture development (Subasinghe et al., 2009).

Characteristics of Good Quality Seed

Good quality fish seed should possess desirable genetic, physical, and health characteristics. Healthy seed exhibits active swimming behavior, uniform size, normal body shape, and absence of external deformities or injuries. It should be free from pathogens and parasites and capable of adapting quickly to culture conditions (Mohan et al., 2018). Genetic quality is another important aspect of seed quality. Seed produced from genetically superior broodstock generally demonstrates better growth performance, feed utilization efficiency, and resistance to environmental stress. Maintaining genetic diversity and avoiding inbreeding are essential for sustaining long-term productivity in aquaculture systems (Gjedrem and Baranski, 2009).

Impact of Seed Quality on Aquaculture Production

Improved Survival and Growth: High-quality seed exhibits greater adaptability to culture environments and higher survival rates after stocking. Healthy fingerlings experience less stress during transportation and handling, allowing them to resume feeding quickly and achieve better growth performance. Studies have shown that the use of quality seed can significantly enhance production efficiency and harvest yields (FAO, 2024).

Enhanced Disease Resistance: Disease outbreaks are among the major constraints in aquaculture production. Fish stocked with poor-quality seed are more susceptible to bacterial, viral, fungal, and parasitic infections. In contrast, healthy and disease-free seed possesses stronger immune responses, reducing the risk of disease occurrence and minimizing the need for therapeutic interventions (Pridgeon and Klesius, 2012).

Better Feed Conversion Efficiency: Feed represents the largest operational cost in aquaculture. High-quality seed utilizes feed more efficiently, resulting in improved feed conversion ratios and reduced production costs. Efficient feed utilization also contributes to lower nutrient waste and minimizes environmental impacts associated with aquaculture operations (Boyd and Tucker, 2012).

Uniform Growth and Harvest: Stocking uniform-sized seed promotes synchronized growth and reduces competition among fish. Uniform populations facilitate better feeding management, grading operations, and harvesting schedules, ultimately improving farm profitability (Mohan et al., 2018).

Challenges Affecting Seed Quality

Despite advances in hatchery technologies, several challenges continue to affect seed quality in aquaculture. Poor broodstock management, inbreeding, inadequate nutrition, disease transmission, and substandard hatchery practices can compromise seed quality. Additionally, improper transportation and handling procedures often cause stress and mortality among fish seed before stocking (FAO, 2024). The movement of seed across geographical regions may also facilitate the spread of pathogens and invasive species. Therefore, strict biosecurity measures and health certification programs are necessary to maintain seed quality and prevent disease transmission (WOAH, 2024).

Strategies for Ensuring Quality Seed Production

The production of quality seed requires a comprehensive approach involving broodstock management, hatchery hygiene, nutrition, and health monitoring. Selection of genetically superior broodstock and maintenance of optimal breeding conditions contribute significantly to seed quality. Regular screening for pathogens and implementation of biosecurity protocols help prevent disease outbreaks in hatcheries (Mishra et al., 2020). Modern technologies such as molecular diagnostics, genetic improvement programs, and selective breeding have further enhanced seed quality in aquaculture. Certification systems and quality assurance programs can also improve farmer confidence and ensure the availability of healthy seed for aquaculture operations (Gjedrem and Baranski, 2009).

Future Perspectives

As aquaculture continues to expand, the demand for high-quality seed is expected to increase substantially. Advances in biotechnology, genomics, and artificial intelligence-based monitoring systems offer new opportunities for improving seed production and quality assessment. Sustainable seed production practices will play a crucial role in enhancing productivity, reducing disease risks, and supporting the long-term growth of the aquaculture sector (FAO, 2024).

Conclusion

Seed quality is a cornerstone of successful aquaculture production. The use of healthy, genetically superior, and disease-free seed contributes significantly to improved survival, growth, feed efficiency, and overall farm profitability. Strengthening hatchery management, biosecurity measures, and quality assurance programs is essential for ensuring a reliable supply of quality seed. As the aquaculture industry evolves, investments in seed quality improvement will remain critical for achieving sustainable and resilient fish production systems (Subasinghe et al., 2009).

References

1. Boyd, C.E., and Tucker, C.S. (2012). *Pond Aquaculture Water Quality Management*. Springer, New York.
2. FAO. (2024). *The State of World Fisheries and Aquaculture 2024*. Food and Agriculture Organization of the United Nations, Rome.
3. Gjedrem, T., and Baranski, M. (2009). *Selective Breeding in Aquaculture: An Introduction*. Springer, Dordrecht.
4. Mishra, S.S., Das, B.K., and Choudhary, P. (2020). Fish disease surveillance and aquatic animal health management in India. *Journal of Aquatic Animal Health*, 32(3): 134–145.
5. Mohan, C.V., Shankar, K.M., and Kulkarni, S. (2018). Fish health management in tropical aquaculture systems. *Aquaculture International*, 26: 1235–1252.

6. Pridgeon, J.W., and Klesius, P.H. (2012). Major bacterial diseases in aquaculture and their vaccine development. *CAB Reviews*, 7(48): 1–16.
7. Subasinghe, R.P., Soto, D., and Jia, J. (2009). Global aquaculture and its role in sustainable development. *Reviews in Aquaculture*, 1(1): 2–9.
8. WOA. (2024). Aquatic Animal Health Code. World Organisation for Animal Health, Paris.