Agri Articles
(e-Magazine for Agricultural Articles)
Volume: 06, Issue: 06 (NOV-DEC, 2026)
Available online at http://www.agriarticles.com
©Agri Articles, ISSN: 2582-9882

Bael (*Aegle marmelos*): A Traditional Fruit with Promising Medicinal Properties

*Yogesh Kumar
Guest Teacher (Fruit Science), College of Horticulture and Research Station, Arjunda, Balod, Mahatma Gandhi Udhyanikee Evam Vanikee Vishwavidyalaya, Durg, Chhattisgarh
*Corresponding Author's email: yogeshchandrakar123456@gmail.com

Bael (*Aegle marmelos* (L.) Corrêa), popularly known as wood apple, Bengal quince or bilva, is an important indigenous fruit tree of the Indian subcontinent. It belongs to the family Rutaceae and is valued for its distinctive fruit, cultural importance and long history of use in traditional systems of medicine. The tree is well adapted to tropical and subtropical conditions and can tolerate periods of drought, making it a useful fruit species for several parts of India, including Chhattisgarh. For generations, different parts of the bael plant—fruit, leaves, bark, roots, flowers and seeds—have been used in traditional preparations. In recent decades, researchers have investigated its phytochemicals and possible biological activities. These studies have attracted attention to bael as a potential source of ingredients for functional foods, nutraceutical research and natural-product development. However, traditional use and promising laboratory findings should not be confused with proven medical treatment.

Nutritional and Phytochemical Wealth

The ripe bael fruit has an aromatic pulp with a sweet, slightly acidic taste. It provides carbohydrates and dietary fibre and contains vitamins, minerals and naturally occurring plant compounds. Its fibre and pectin contribute to pulp texture and make the fruit suitable for processing into beverages, preserves and other value-added products. The nutritional composition varies with genotype, maturity, growing environment and post-harvest handling. Bael contains several groups of phytochemicals, including coumarins, alkaloids, flavonoids, phenolic compounds, tannins and terpenoids. Compounds reported in different plant parts include marmelosin, marmesin, imperatorin, marmin, aegeline and skimmianine. The type and concentration of these constituents differ among leaves, fruit, bark, roots and seeds. These compounds are being studied because some show antioxidant or other biological activities in experimental systems.

Important Medicinal Properties Under Investigation

Digestive health and traditional use: Bael fruit has a long-standing place in traditional preparations for digestive complaints. In particular, unripe fruit preparations have been investigated for antidiarrhoeal activity. Laboratory and animal studies suggest that certain extracts may influence intestinal movement, fluid secretion or interactions between microorganisms and intestinal cells. These findings help explain why the fruit has attracted scientific interest, but they do not establish that bael can safely or reliably treat diarrhoea in people. Persistent diarrhoea can cause dehydration and requires appropriate medical attention.
Antioxidant potential: Bael leaves and fruit contain phenolic compounds and flavonoids that can react with free radicals in laboratory antioxidant tests. Antioxidants are of interest because oxidative stress is involved in many biological processes. Results from chemical assays or cell studies are useful for screening plant materials, but they do not demonstrate that eating bael prevents or cures chronic diseases.

Antimicrobial activity: Extracts prepared from different parts of bael have been examined against selected bacteria, fungi and other microorganisms. Some experiments have reported inhibitory effects under controlled laboratory conditions. Such findings may help identify compounds for further research. They should not be interpreted as evidence that bael products can replace prescribed medicines or treat an infection.

Antidiabetic potential: Research has examined whether bael leaf and fruit extracts influence carbohydrate-digesting enzymes, glucose regulation or related biochemical pathways. Several promising findings come from laboratory and animal experiments. The type of extract, plant part, concentration and experimental model vary substantially between studies. At present, bael should not be used as a substitute for diabetes diagnosis, monitoring, diet advice or prescribed treatment.

Anti-inflammatory and liver-protective potential: Certain bael phytochemicals and extracts have shown anti-inflammatory or protective effects in experimental models. Researchers are studying how these compounds may influence oxidative stress and inflammatory pathways. Other reported areas of investigation include gastroprotective, cardioprotective and wound-healing activities. Most of these findings remain preclinical and need confirmation through well-designed human studies.

Medicinal Importance of Different Plant Parts

Fruit pulp is consumed as food and used in traditional preparations and processed products. Leaves are aromatic and contain essential oils and other phytochemicals that have been examined for antioxidant, antimicrobial and anti-inflammatory activity. Bark and roots are included in some traditional formulations and have been studied for their chemical constituents. Seeds and flowers have also been investigated, although the amount and quality of evidence differ between plant parts. The safety and composition of one plant part or extract cannot automatically be assumed to apply to another.

Bael as a Functional Food and Value-Added Fruit

Bael has considerable scope beyond fresh consumption. Its pulp can be processed into squash, juice, nectar, sherbet, jam, jelly, fruit leather, candy, powder and other products. Processing can improve convenience, diversify markets and create opportunities for small-scale food enterprises, farmer groups and rural entrepreneurs. Product development should focus on hygienic processing, quality standards, shelf life, packaging and consumer acceptability.

Horticultural Importance and Opportunities in Chhattisgarh

Bael is a promising indigenous fruit crop for diversification and climate-resilient horticulture. Its ability to withstand dry periods and grow under comparatively difficult conditions makes it relevant for marginal lands, farm boundaries and suitable agroforestry systems. Chhattisgarh has useful scope for conserving and evaluating local bael germplasm. Selection of superior genotypes for fruit size, pulp recovery, flavour, seed content, biochemical quality and processing suitability can support future improvement programmes. Research priorities include systematic germplasm collection, evaluation of fruit and biochemical traits, identification of bioactive compounds, standardisation of processing methods, post-harvest management and scientifically designed safety and clinical studies. Collaboration among horticulturists, food technologists, pharmacognosists and medical researchers will be important to translate promising findings into reliable applications.

Safety and Evidence: What Readers Should Know

"Natural" does not automatically mean safe or effective. Evidence for bael is mixed in strength: traditional use provides a history of consumption, laboratory studies help identify possible mechanisms, animal studies explore effects in living systems, and human clinical trials are needed to assess benefits and risks in people. Extracts may be much more concentrated than ordinary food portions, and their composition can vary. People should not self-medicate with bael extracts or stop prescribed treatment. Anyone considering a medicinal preparation,

especially for a health condition or while taking medicines, should first seek advice from a qualified healthcare professional.

Conclusion

Bael (*Aegle marmelos*) is a valuable indigenous fruit tree with nutritional, cultural, horticultural and research importance. Its traditional uses and diverse phytochemical profile have encouraged scientific investigation of digestive, antioxidant, antimicrobial, antidiabetic and anti-inflammatory properties. Many results are promising, but a large share of the evidence remains experimental. Conservation of local germplasm, improvement of fruit quality, safe value addition and rigorous human research can help realise bael's potential while ensuring that medicinal claims remain evidence-based.

References

1. Maity, P., Hansda, D., Bandyopadhyay, U. and Mishra, D.K. (2009). Biological activities of crude extracts and chemical constituents of *Aegle marmelos* (L.) Corrêa. *Indian Journal of Experimental Biology*, 47, 849–861.
2. Baliga, M.S., Bhat, H.P., Joseph, N. and Fazal, F. (2011). Phytochemistry and medicinal uses of the bael fruit (*Aegle marmelos* Correa): A concise review. *Food Research International*, 44, 1768–1775.
3. Dhankhar, S., Ruhil, S., Balhara, M., Dhankhar, S. and Chhillar, A.K. (2011). *Aegle marmelos* (Linn.) Correa: A potential source of phytomedicine. *Journal of Medicinal Plants Research*, 5(9), 1497–1507.
4. Manandhar, B., Paudel, K.R., Sharma, B. and Karki, R. (2018). Phytochemical profile and pharmacological activity of *Aegle marmelos* Linn. *Journal of Integrative Medicine*, 16(3), 153–163. https://doi.org/10.1016/j.joim.2018.04.007
5. Sarkar, T., Salauddin, M. and Chakraborty, R. (2020). In-depth pharmacological and nutritional properties of bael (*Aegle marmelos*): A critical review. *Journal of Agriculture and Food Research*, 2, 100081. https://doi.org/10.1016/j.jafr.2020.100081
6. Brijesh, S., Daswani, P., Tetali, P., Antia, N. and Birdi, T. (2009). Studies on the antidiarrhoeal activity of *Aegle marmelos* unripe fruit: Validating its traditional usage. *BMC Complementary and Alternative Medicine*, 9, 47. https://doi.org/10.1186/1472-6882-9-47
7. Dhuley, J.N. (2003). Investigation on the gastroprotective and antidiarrhoeal properties of Aegle marmelos unripe fruit extract. *Hindustan Antibiotics Bulletin*, 45–46(1–4), 41–46.
8. Das, B. and Das, R. (1995). Medicinal properties and chemical constituents of Aegle marmelos Correa. *Indian Drugs*, 32, 93–99.
9. Monika, S., Thirumal, M. and Kumar, P.R. (2023). Phytochemical and biological review of *Aegle marmelos* Linn. *Future Science OA*, 9(3), FSO849. https://doi.org/10.2144/fsoa-2022-0068
10. Singh, P., Garg, A. and Srivastava, R.K. (2024). The phytochemistry and therapeutical values of Aegle marmelos L.: A review. *Medicinal Plants*, 16(3), 401–409. https://doi.org/10.5958/0975-6892.2024.00043.0
11. Khedkar, S. and Gore, P. (2025). A review: Therapeutic profile of *Aegle marmelos* (Bael). *Journal of Pharmacognosy and Phytochemistry*, 14(2), 20–24. https://doi.org/10.22271/phyto.2025.v14.i2a.15270
12. Sharma, A. *et al*. (2025). Ethnopharmacological profile, phytochemistry and therapeutic potential of *Aegle marmelos* L. for the treatment of neurological disorders. *Journal of Nutrition and Metabolism*, 2025, 2275526. https://doi.org/10.1155/jnme/2275526
13. Mujeeb, F., Khan, A.F., Pandey, V.K., Sinha, A., Barwant, M.M., Rustagi, S., Kovács, B. and Shaikh, A.M. (2025). Significance, pharmacological properties, and industrial applications of bael (*Aegle marmelos*): A review of current knowledge. *Journal of Agriculture and Food Research*, 19, 101631. https://doi.org/10.1016/j.jafr.2025.101631

14. Shetty, A., Fernandes, L., Shambhavi, D., Mahadev, M. and Dubey, A. (2026). Phytochemical and pharmacological profile of *Aegle marmelos* (L.) Correa: A comprehensive review of therapeutic potential, mechanisms of action, and translational relevance. *Journal of Applied Pharmaceutical Science*, 16(2), 6–18. https://doi.org/10.7324/JAPS.2026.273299
15. Padghan, M. et al. (2026). A review on pharmacological studies and phytochemistry of *Aegle marmelos* (L.) Correa. *Pharmacognosy Reviews*, 20(40), 131–140. https://doi.org/10.5530/phrev.20260050