Agri Articles
(e-Magazine for Agricultural Articles)
Volume: 06, Issue: 06 (NOV-DEC, 2026)
Available online at http://www.agriarticles.com
©Agri Articles, ISSN: 2582-9882

India's Miracle Bean: The Sustainable Farming Potential of Velvet Bean

Anbukkani Perumal[1], S. Ramachandran[1] and *Chiranjit Mazumder[2]
[1]ICAR-Indian Institute of Horticultural Research (IIHR), Bengaluru, Karnataka, India
[2]ICAR-Indian Institute of Horticultural Research (IARI), New Delhi, India
*Corresponding Author's email: majumder.chira@icar.org.in

The cover crop long before anyone called it, in Indians called it *velvet bean (Mucuna),* a hairy-podded jungle vine that Ayurvedic physicians prescribed as a tonic, an aphrodisiac and a remedy for tremor and weakness centuries before Western medicine had a name for Parkinson's disease. The plant, botanically *Mucuna pruriens*, has been growing wild across Eastern and Southern part of India for so long that taxonomists now place part of its natural origin right here not imported, but indigenous, with six distinct varieties recorded from the Southern Peninsula alone. For most of that history, velvet bean stayed a forest and forager's plant: valued, but never quite farmed, partly because touching its pods means dealing with a fine coat of hairs that itch like fibreglass. Now the scenario has changing and the reason is a quiet piece of plant breeding out of ICAR- Indian Institute of Horticultural Research (ICAR-IIHR), Bengaluru that is turning an ancient medicinal weed into a plant with a genuine claim on Indian farmers' fields.

Itch free velvet bean

In recent years, scientists at ICAR–IIHR released six varieties are itch free namely, Arka Dhanwantari, Arka Ashwini, Arka Shubra, Arka Shukla, Arka Charaka and Arka Daksha velvet bean varieties bred specifically to solve the one problem that has kept this plant out of Indian farms for generations: its pods are itch-free, safe to harvest, thresh, and clean by hand. That single trait removes the biggest practical barrier to adoption of velvet bean has held back for cultivation not just in India but in every country that has tried to promote it as a farm cover crop.

- Arka Dhanwantari is a long duration variety (180-190 days) with high L-DOPA and high seed yield. It produces purple flowers on long inflorescence and the fruits are borne on the top nodes. The pods are free from itchiness. Immature pods are green in color. The seeds are of medium size and possess black shiny seed coat. It produces seed yield of 4 - 4.5 t/ha with support and 2 - 2.5 t/ha without support. L-DOPA content in this variety ranges from 4 to 4.5%.
- Arka Ashwini is an early maturing variety with duration of 120 - 130 days. The inflorescence is short with purple colour flowers and starts bearing pods from the basal nodes. Immature pods are black in colour. The seeds are bold in size and have black mottled seed coat. Seed yield ranges from 2 - 2.5t/ha with support/staking and 1 - 1.5 t/ha without support. The L-DOPA content ranges from 3.5 to 4.0%.
- Arka Shubra is a non-itchy white seeded, long duration (180-190 days) variety with high seed yield of 4.5 to 5.5 t/ha under support, 2.25 to 2.75 t/ha under surface cultivation. The L- DOPA content ranges from 5 to 5.5%. It produces white flowers on medium long rachis seeds are medium size with white seed coat.
- Arka Shukla is a non-itchy white seeded medium duration (180 - 190 days) variety with a seed yield of 3.0 to 3.5 t/ha under support, 2.0 t/ha under surface cultivation. The L-DOPA

content ranges from 3.5 to 4.0%. It produces purple flowers on short rachis and non-itchy pods and seeds are medium size with white seed coat

- Arka Charaka is a medium duration variety (155-165 days) with high seed yield (4.0 to 4.25 t/ha under support, 2.0 to 2.25 t/ha under surface cultivation). The L-DOPA content varies from 4.5 to 5.0%. It produces purple flowers on medium long rachis, pods have non irritant trichomes (smooth pods), medium-size seeds with black shiny seed coat.
- Arka Daksha is a medium duration variety (155 - 165 days) with a seed yield of 3.5 to 4 t/ha under support; 1.8 to 2.2 t/ha without support. The L-DOPA content varies from 3.5 to 4.0%. It produces purple flowers on short rachis and non-itchy pods and seeds are bold in size with black brown mottling.

These verities are neatly as a rotational or subsidiary crop between the major Kharif and Rabi cycles that structure most Indian cropping calendars after rice, alongside millet or maize, or ahead of a pulse crop. And unlike almost any other legume promoted as a soil-health crop, its seed itself carries serious market value.

Benefits of velvet bean

Here is what makes velvet bean unusual and worth paying attention to: it does double duty in a way few crops manage.

Benefits in underground: Like other legumes, velvet bean partners with nitrogen-fixing bacteria in its roots, pulling nitrogen straight from the air and places its fixation in the root of the plants range of roughly 34 to 100 kilograms (kg) of nitrogen per hectare per season, delivered without a fertiliser bag. Above ground, it grows fast enough to smother weeds under a thick blanket of vegetation and when that biomass is cut down ahead of the next crop, it becomes a mulch that protects bare soil from the battering force of monsoon rain exactly the kind of protection that lateritic uplands, hill slopes in the Western Ghats and the shifting cultivation tracts of the North-East badly need. Long-term field trials from comparable tropical soils elsewhere in the world have shown soil organic carbon rising, water infiltration improving and erosion on sloped land cut by more than half once a velvet bean rotation was introduced. India's own multi-year field confirmation of these exact effects is still thin an honest gap in the record but the underlying soil chemistry and mechanics are the same everywhere the plant grows, which is why researchers expect the benefit to transfer.

Benefits of plant parts in the market: Velvet bean seed contains L-DOPA (levodopa), the compound that is the frontline treatment for Parkinson's disease and a long-standing ingredient in classical Ayurvedic formulations for tremor and nervous disorders. ICAR-IIHR released verities have reported L-DOPA content is commercially interesting to the nutraceutical and Ayurvedic processing industry. Indian herbal-extract manufacturers list standardised velvet bean extract at 99 percent L-DOPA purity at roughly ₹20,000 per kilogram, reflecting steady demand from supplement makers and Ayurvedic drug manufacturers rather than a speculative or one-off price spike. Put those two benefits together and you get something genuinely uncommon in Indian agriculture: a crop that can improve the soil for whatever is planted after it, *and* be sold in its own right into a functioning medicinal plant market not as a hypothetical, but as an already-existing supply chain.

Role of Velvet bean on land management

The clearest lesson from velvet bean's history in other countries is that it is not a universal upgrade it is a targeted one, and the target is exactly the kind of land many Indian smallholders farm. In Uganda, researchers comparing velvet bean against chemical fertiliser across contrasting soil types found something counterintuitive: on rich, high-potential fields, fertiliser still won on both yield and economics. But on the region's more common degraded, low-fertility fields, velvet bean matched fertiliser's yield benefit at essentially zero cash cost making it the more economically sound choice precisely where farmers have the least money to spend on inputs. That pattern velvet bean's advantage rising as soil quality falls maps directly onto India's own rainfed, lateritic, and hill-farming belts, where fertiliser access is often patchy and soil already depleted.

In Honduras, smallholders who adopted a maize–velvet bean rotation entirely on their own initiative, without any government programme pushing them to, ended up with roughly double the maize yield of continuous cropping, and just as valuable to a family managing risk much more stable yields from year to year, because the mulch layer buffered the crop against drought. And in Benin and Togo, an eight-year economic study found that farms using velvet bean in rotation earned a benefit-cost ratio (B:C) of 1.24, against just 0.62 for farms that didn't and when farmers went a step further and sold the velvet bean seed itself, exactly as velvet bean now allows Indian farmers to do, that ratio climbed as high as 3.56. None of these studies are Indian. But the story they tell together nitrogen for free, erosion control for free, and a real payoff on the poorest land is the same story India's own dryland and hill agriculture would predict, and it is the reason ICAR-IIHR's breeding work matters well beyond the borders of a single research station.

Gap in the research on velvet bean

Velvet bean is not a crop to romanticise without caveats, and the record elsewhere is candid about them. Sown at the same time as a main crop rather than in rotation, it competes for light and water and can cut that season's yield rather than boost it timing and sequencing matter. On already fertile, well-resourced land, ordinary fertiliser still tends to outperform it on pure economics. And India's medicinal-plant market, unlike a scheme crop with an assured government procurement price, is comparatively small and depends on farmers building real buyer relationships with Ayurvedic processors or herbal-extract companies rather than walking into a mandi. There is also, frankly, more homework to do. Much of the soil-health and pest-suppression case made for Indian conditions currently rests on extrapolation from field trials in Benin, Honduras, and Uganda rather than dedicated Indian research a gap that deserves systematic ICAR field trials rather than assumption, especially given how much local variation already exists in the plant's L-DOPA content across India's own wild germplasm.

A Promising Crop for the Future

What makes velvet bean's Indian moment interesting is not that the plant is new it has been growing wild here for longer than agriculture itself has been organised but that a genuine, farmer-usable version of it now exists for the first time. An itch-free pod removes decades of practical resistance. A dual soil-and-market value proposition gives it an economic logic that most cover crops never have. And a research institution with the mandate and the germplasm to keep improving it is already at work. Whether velvet bean becomes a common sight in Indian fields will depend less on the science, which is largely already there, and more on the unglamorous work of seed multiplication, farmer awareness, and reliable market linkages the same three things that have determined the fate of almost every good agricultural idea in India's history.

References

1. Buckles, D., & Triomphe, B. (1999). Adoption of mucuna in the farming systems of northern Honduras. *Agroforestry Systems*, 47, 67–91.
2. Das, T., Mishra, S. B., Saha, D., & Agarwal, S. (2020). Exploration and collection of Mucuna Adans. germplasm from Odisha, India: species diversity, genetic variability and indigenous traditional wisdom. *Genetic Resources and Crop Evolution*, 67, 2019–2034.
3. Food and Agriculture Organization of the United Nations (FAO). Technical innovations leading to improvements in food production with SARD: Mucuna/Imperata management in Benin and Togo. FAO Sustainable Agriculture and Rural Development synthesis.
4. Kaizzi, C. K., Ssali, H., & Vlek, P. L. G. (2006). Differential use and benefits of velvet bean (*Mucuna pruriens* var. utilis) and N fertilizers in maize production in contrasting agro-ecological zones of E. Uganda. *Agricultural Systems*, 88(1), 44–60.
5. Krishi Jagran (Verma, R.). (2025, May 3). Velvet Bean Cultivation: Arka Daksha Variety Offers Farmers Itch-Free Pods and High Returns. Krishi Jagran.

6. Rudra, V., Shankaraswamy, J., Nagaraju, K., Nikhil, B. S. K., & Sathish, G. (2020). Velvet Bean (*Mucuna pruriens* (L.) DC. var. *pruriens*): An Eminent Legume in Indian Agriculture. Vigyan Varta, College of Horticulture, SKLTSHU, Telangana.
7. Singh, A. P., et al. (2018). Chemical evaluation of Mucuna species for L-dopa content from wild habitats of Odisha, India. *Indian Journal of Traditional Knowledge*, 17(1), 148–154.
8. Vaidya, A. B., Rajagopalan, T. G., Mankodi, N. A., et al. (1978). Treatment of Parkinson's disease with the cowhage plant — *Mucuna pruriens* Bak. *Neurology India*, 26, 171–176.